

AUTHOR INDEX

- Adachi, Y. 213
Allmaier, G. 105
Andersson, M. 35
Angelino, S.A.G.F. 245
- Backinowsky, L.V. 43
Balatoni, L. 301
Bartelt, M. 203
Basu, S. 221
Bhattacharyya, T. 221
Brade, H. 105, 141
Brewer, C.F. 157
Buchholz, K. 183
- Constantinou-Kokotou, V. 317
Couladouros, E.A. 317
- Depew, W.T. 257
- Egge, H. 289
El Ashry, E.S.H. 295
- Farkas, I. 91
Fernández, P. 61
Fischer-Beller, A. 169
- Gabius, H.-J. 269
Georgiadis, M.P. 317
Goodman, L. 133
Grzeszczyk, B. 43
- Harmouch, B. 325
Hay, G.W. 257
Hoffmann, R.A. 245
Holst, O. 141
Hronowski, L.J.J. 257
Huang, J.T. 133
- Ibrahim, E.-S.I. 295
- Jann, B. 203
Jann, K. 203
Jiménez-Barbero, J. 61
- Kamerling, J.P. 245
Kenne, L. 35
Kitahata, S. 1
Klein, R.A. 289
Kochanowski, H. 203
Koh, L.L.I. 281
Koizumi, K. 1
Kokotos, G. 317
Kosma, P. 105
Krebs, A. 257
Krülle, T. 141
- Lee, C.-K. 281
Lee, R.T. 269
Lee, Y.C. 269
Lindberg, B. 15
Lindh, F. 15
Lindsell, W.E. 311
Lipták, A. 301
Lundsten, J. 15
- Machytka, D. 289
Mahmoud, S.H. 91
Manley-Harris, M. 195
Martín-Lomas, M. 61
Martin, P. 325
McGregor, M. 133
- Needs, P.W. 229
Nepogod'ev, S.A. 43
- Ohno, N. 213
Okada, Y. 1
Oscarson, S. 81
- Parolis, H. 333
Parolis, L.A.S. 333
Pietsch, M. 183
Postel, D. 325
Preston, P.N. 311
- Rashed, N. 295
Ravenscroft, N. 333

Reed III, L.A. 133
Rettie, A.B. 311
Richards, G.N. 195
Ritzén, H. 81
Ronco, G. 325

Saha, S.K. 157
Schmid, E. 105
Schmidt, R.R. 141
Selvendran, R.R. 229
Shashkov, A.S. 203
Somsák, L. 91
Spychala, L. 325
Stenutz, R. 35
Strobl, M. 105
Suda, M. 213
Svensson, S. 15

Szarek, W.A. 25, 257
Szurmai, Z. 301

Tietze, L.F. 169
Tonković, M. 277

Viëtor, R.J. 245
Villa, P. 325
Vliegthart, J.F.G. 245
Voragen, A.G.J. 245

Walter, M. 183
Widmalm, G. 35

Yadomae, T. 213

Zamojski, A. 43
Zou, W. 25

SUBJECT INDEX

- 2-Alkynyl-1-ethoxy glucosides, stereoselective synthesis of, 169
- Anhydro sugars and oligosaccharides from the thermolysis of sucrose, 195
- Antigen (LPS) from *Escherichia coli* O22:K13, structure of the O-specific polysaccharide of the O22-, 203
- Arabinoxylans from barley, structures of small oligomers liberated by endoxylanase from *Aspergillus awamori*, 245
- Asialoglycoprotein receptor, rabbit, binding of D-galactose-terminated ligands to, 257
- Bacteriophage degradation of *Klebsiella* K30 capsular polysaccharide and an NMR investigation of the 3,4-pyruvated galactose-containing repeating oligosaccharide, 333
- Barley arabinoxylans, structures of small oligomers liberated by endoxylanase from *Aspergillus awamori*, 245
- Binding of D-galactose-terminated ligands to rabbit asialoglycoprotein receptor, 257
- Carbon-carbon bond formation at secondary carbon in cyclic sugars, stereospecific, 133
- 1-Carboxyethyl ethers of methyl α -L-rhamnopyranoside and methyl α -D-galactopyranoside, synthesis and NMR and CD studies of, 35
- CD and NMR studies of 1-carboxyethyl ethers of methyl α -L-rhamnopyranoside and methyl α -D-galactopyranoside, synthesis and, 35
- Characterization and separation of five positional isomers of trimaltosyl-cyclomaltoheptaose (trimaltosyl- β -cyclodextrin, 1
- Chlamidia*, synthesis of pentasaccharide core structures corresponding to the genus-specific lipopolysaccharide epitope of, 105
- Complexation of iron(III) with D-fructose, a new approach, 277
- Crystal structure and taste of 3,3'-dideoxy- α , α -arabino-trehalose monohydrate, 281
- β -Cyclodextrin, trimaltosyl-, (trimaltosyl-cyclomaltoheptaose), separation and characterization of five positional isomers of, 1
- Cyclomaltoheptaose, trimaltosyl-, (trimaltosyl- β -cyclodextrin), separation and characterization of five positional isomers of, 1
- C-(2-Deoxyhex/pent-1-enopyranosyl)heterocycles, preparation, 91
- 1-Deoxymannonojirimycin (1,5-dideoxy-1,5-imino-D-mannitol) and D-fructose, an efficient conversion of D-mannitol into, 25
- 3-Deoxy-2-octulosonic acid derivatives and characterisation of their 3-deoxyoctitols, synthesis of, 141
- Determination of the concentrations of oligosaccharides, complex-type carbohydrates, and glycoproteins by the phenol-sulfuric acid method, 157
- 2,4-Diamino sugar precursors from 2,3-dideoxy-2-enopyranos-4-uloses, a synthesis of in one reaction vessel, 317
- Disaccharide alditols, electron impact mass spectra of permethylated, 15
- Disaccharides having D-xylose coupled to other monosaccharides, preparation of ether-linked, 325
- Electron impact mass spectra of permethylated disaccharide alditols, 15
- Escherichia coli* O22:K13, structure of the O-specific polysaccharide of the O22-antigen (LPS) from, 203
- Escherichia coli* O126, structure of the O-specific side chain of the lipopolysaccharide from, 221
- D-Fructose and 1,5-dideoxy-1,5-imino-D-mannitol (1-deoxymannonojirimycin), an efficient conversion of D-mannitol into, 25
- Fructose, a new approach to the complexation of iron(III) with, 277
- Galactopyranose rings, reporter resonances in the NMR spectra of oligosaccharides containing sialic acid linked to, 289

- Galactose-specific toxic lectin of mistletoe, the sugar-combining area of the, extends beyond the terminal sugar residue: comparison with a homologous toxic lectin, ricin, 269
- (1 → 3)- β -D-Glucan from *Sclerotinia sclerotiorum* IFO 9395, preparation and properties of metabolically ^3H - or ^{13}C -labeled, 213
- Glycoproteins by the phenol-sulfuric acid method, determination of the concentrations of oligosaccharides, complex-type carbohydrates, and, 157
- L-glycero- α -D-manno*-Heptopyranosyl derivatives of allyl α -glycosides of D-glucose, kojibiose, and 3-O- α -kojibiosyl-D-glucose, 43
- Heptose-hexose region of the *Salmonella* Ra core, synthesis of hexa-, penta-, and tetra-saccharides related to the, 81
- Heterocycles, preparation of C-(2-deoxyhex/pent-1-enopyranosyl)-, 91
- Hexacarbonyldicobalt complexes derived from 2-propynyl and 3-butynyl 4,6-di-O-acetyl-2,3-dideoxy- α -D-erythro-hex-2-enopyranosides, synthesis and characterisation, 311
- Hexasaccharide corresponding to part of the heptose-hexose region of the *Salmonella* Ra core and a penta- and tetra-saccharide that compose parts of this structure, synthesis, 81
- Hex-2-enopyranosides, synthesis and characterisation of hexacarbonyldicobalt complexes derived from 2-propynyl and 3-butynyl 4,6-di-O-acetyl-2,3-dideoxy- α -D-erythro-, 311
- ^3H - or ^{13}C -labeled (1 → 3)- β -D-glucan from *Sclerotinia sclerotiorum* IFO 9395, preparation and properties of metabolically, 213
- Iron(III), a new approach to the complexation of D-fructose with, 277
- 3-Keto-sucrose, regioselective synthesis of new sucrose derivatives via, 183
- Klebsiella* K30 capsular polysaccharide, bacteriophage degradation and an NMR investigation of the 3,4-pyruvated galactose-containing repeating oligosaccharide, 333
- Kojibiose, 3-O- α -kojibiosyl-D-glucose, and D-glucose, synthesis of *L-glycero- α -D-manno*-heptopyranosyl derivatives of allyl α -glycosides of, 43
- Lactoside, syntheses of all the possible monomethyl ethers and several deoxyhalo analogues of methyl β -, as ligands for the *Ricinus communis* lectins, 61
- Lectin of mistletoe, the sugar-combining area of the galactose-specific toxic, extends beyond the terminal sugar residue: comparison with a homologous toxic lectin, ricin, 269
- (Lepidin-2-yl)hydrazones, sugar, and synthesis of 1-(alditol-1-yl)-5-methyl[1,2,4]triazolo[4,3-*a*]-quinoline, 295
- Ligands, binding of D-galactose terminated to rabbit asialoglycoprotein receptor, 257
- Linkage analysis of polysaccharides as partially methylated alditol acetates, a critical assessment of a one-tube procedure for the, 229
- Lipopolysaccharide epitope of *Chlamidia*, synthesis of pentasaccharide core structures corresponding to the genus-specific, 105
- Lipopolysaccharide from *Escherichia coli* O126, structure of the O-specific side chain of the, 221
- D-Mannitol, an efficient conversion of, into D-fructose and 1,5-dideoxy-1,5-imino-D-mannitol (1-deoxymannonojirimycin), 25
- Manno-oligosaccharides, synthesis of some partially substituted methyl α -D- and 1-thio- α -D-mannopyranosides for the preparation of, 301
- α -D-Mannopyranosides, synthesis of some partially substituted phenyl 1-thio- and methyl, for the preparation of manno-oligosaccharides, 301
- Mass spectra of permethylated disaccharide alditols, electron impact, 15
- Metabolically ^3H - or ^{13}C -labeled (1 → 3)- β -D-glucan from *Sclerotinia sclerotiorum* IFO 9395, preparation and properties, 213
- Methyl α -D- and phenyl 1-thio- α -D-mannopyranosides, synthesis for the preparation of manno-oligosaccharides, 301
- Methyl β -lactoside, syntheses of all the monomethyl ethers and several deoxyhalo analogues, as ligands for the *Ricinus communis* lectins, 61
- Monomethyl ethers and several deoxyhalo analogues of methyl β -lactoside, syntheses of all the, as ligands for the *Ricinus communis* lectins, 61
- NMR and CD studies of methyl 4-O-[(*R*)- and (*S*)-1-carboxyethyl]- α -L-rhamnopyranoside and methyl 6-O-[(*R*)- and (*S*)-1-carboxyethyl]- α -D-galactopyranoside, synthesis and, 35
- NMR investigation of the 3,4-pyruvated galactose-containing pentasaccharide produced by bacteriophage degradation of the *Klebsiella* K30 capsular polysaccharide, 333

- Octitols, synthesis of 3-deoxy-2-octulosonic acid derivatives and characterisation of their 3-deoxy-, 141
- 2-Octulosonic acid derivatives, synthesis of 3-deoxy-, and characterisation of their 3-deoxyoctitols, 141
- Oligomers liberated from barley arabinoxylans by endoxylanase from *Aspergillus awamori*, structures of small, 245
- Oligosaccharides containing sialic acid linked to galactopyranose rings, reporter resonances in the NMR spectra of, 289
- Oligosaccharides for use as substrates for synthetic antigens, synthesis of linear, 43
- Oligosaccharides from the thermolysis of sucrose, anhydro sugars and, 195
- One-tube procedure for the linkage analysis of polysaccharides as partially methylated alditol acetates, a critical assessment, 229
- Pentasaccharide core structures corresponding to the genus-specific lipopolysaccharide epitope of *Chlamidia*, synthesis, 105
- Phenol-sulfuric acid method, determination of the concentrations of oligosaccharides, complex-type carbohydrates, and glycoproteins by the, 157
- Polysaccharide of the O22-antigen (LPS) from *Escherichia coli* O22:K13, structure of the O-specific, 203
- Polysaccharides, a critical assessment of a one-tube procedure for linkage analysis as partially methylated alditol acetates, 229
- Preparation of ether-linked disaccharides having D-xylose coupled to other monosaccharides, 325
- 2-Propynyl and 3-butynyl 4,6-di-O-acetyl-2,3-dideoxy- α -D-erythro-hex-2-enopyranosides, synthesis and characterisation of hexacarbonyldicobalt complexes derived from, 311
- Quinoline, 1-(alditol-1-yl)-5-methyl[1,2,4]triazolo[4,3-a]- and sugar (lepidin-2-yl)hydrazones, synthesis of, 295
- Salmonella* Ra core, synthesis of hexa-, penta-, and tetra-saccharides related to the heptose-hexose region of the, 81
- Secondary carbons in cyclic sugars, stereospecific carbon-carbon bond formation at, 133
- Separation and characterization of five positional isomers of trimaltosyl-cyclomaltoheptaose (trimaltosyl- β -cyclodextrin), 1
- Sialic acid linked to galactopyranose rings, reporter resonances in the NMR spectra of oligosaccharides containing, 289
- Stereospecific carbon-carbon bond formation at secondary carbons in cyclic sugars, 133
- Structure of the O-specific side chain of the lipopolysaccharide from *Escherichia coli* O126, 221
- Sucrose, anhydro sugars and oligosaccharides from the thermolysis of, 195
- Sucrose derivatives via 3-keto-sucrose, regioselective synthesis of new, 183
- Xylose coupled to other monosaccharides, preparation of ether-linked disaccharides having D-, 325

